A23

SCHEDULE.

		Quantity	F.O.R. Belagula
Lime Stone	—96 to 98 per cent $CaCO_3$ ...	50 (fifty) tons	...
MgO	— only traces ...	...	...
R_2O_3	— below 2 per cent ...	...	...
SiO_2	— do do ...	...	...

N.B.—1. Quotations with firm prices and earliest time of delivery are preferred.
2. Sales-tax should be quoted separately.
3. Samples should accompany the quotations.
4. Quotations will be opened at 2 P.M. on the next working day.

4883

Dated 22nd September 1952.

To

The Firms dealing in Khaki Cotton Patties.

Enquiry No. 11225.

Subject :—Khaki Cotton Patties.

Dear Sir/Gentlemen,

No. S.P.C. 25914-23. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supplies within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Khaki Cotton Patties", with the above enquiry number.

This enquiry will be closed on the 16th October 1952.

SCHEDULE.

Item No.	Description of material offered.	Quantity	Price quoted F.O.R. Bangalore.	Time of delivery.
	Khaki Cotton Patties (Fast Colour) 2 Yds. long × 4" wide with one yard narrow tape of 5/8" stitched at one end of the Patti.	250 pairs	...	...

N.B.—1. Samples should accompany your quotation.
2. Quotations with firm prices will be preferred.
3 Sales-tax shou d be quoted separately.
4. No enhancement of prices will be allowed after the acceptance of the tender.
5. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

4883

Dated 22nd September 1952.

To

The Firms dealing in Electrical materials.

Enquiry No. 11227.

Subject :—Equipment for the Electrical Laboratory of the Occupational Institute, Hassan.

Gentlemen,

No. S.P.C. 25874-903. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for equipment for the Electrical Laboratory of the Occupational Institute, Hassan" with the above enquiry number.

This enquiry will be closed on the 30th October 1952.

SCHEDULE.

		F.O.R, Hassan.	Quantity.
1	D.C. Ammeters ...	(a) 10 amps.	2
		(b) 15 amps.	2
		(c) Triple range 3/6/30 amps. ...	2
		(d) 100 amps. with shunt ...	2
		(e) 1 amp.	2
2	A.C. Ammeters ...	(a) Double range 20/40 amps. ...	2
		(b) Do 2·5/40 amps. ...	2
		(c) 5 amps.	2
		(d) 0·5 amps.	2
		(e) Double range 10/20 amps. ...	2
		(f) 60 amps.	2
3	Galvanometers and high Sensitivity Instruments:—		
		(a) Portable type galvanometers with pointer	2
4	Wattmeters and Watthour meters:—		
		1 Single phase, single current double voltage wattmeter, 150/300 volts, 20 amps. ...	2
		2 Portable A.C. Watthour meter, standard 100–120/200–240 volts, 1/5/25 amps. 50 cycles	2
		3 Single phase, double current double voltage wattmeter, 5/10 amps. 150/300 volts ...	3
		4 Polyphase Wattmeter 5/10 amps., 150/300 volts	3
5	Power Factor and Frequency meters.—		
		(a) Portable type power jacks for balanced 3 phased circuits 5 amps 100/125 volts ...	1
6	Hook-ob-voltmeter—Ammeter triple range 0/15/60/600 amps. 0/300/600 volts		2
7	Instrument Transformers:—		
		1 Portable mullirange current transformers ratio 40/50/80/100/160 200 amps. to 5 amps.	2
		2 Portable double ratio potential transformers ratio 2300/4600 volts to 115 volts ...	2
8	Special Instruments:—		
		1 Speed Indicators	3
		2 Stop watches	4
9	Special Equipments:—		
		(a) Constant potential rectifier battery charging set	1
		(b) Constant current battery charging set ...	1
		(c) Cadmium tester	1
		(d) High rate discharge tester	1
		(e) Meggers 500 volts	1
		(f) Demestic heating appliances set ...	1
		(g) Kitchen and laundry appliances set ...	1
		(h) Metal Rectifier capable of charging 12 to 24 lead acid cells, 40 amps, capacity suitable for use on 230/250 volts, 50 cycles power supply	1

N.B.—1. Quotations with firm prices will be preferred.
2. Sales-tax, if any, should be quoted separately.
3. The quotations will be opened at 2 P.M. on the next working day after the due date.

4824

Dated 23rd September 1952.

To

Messrs.—
(1) The Calcutta Electrical Mfg., Co., Ltd., 33, Netaji Subhas Road, CALCUTTA 1.
(2) The India Electric Works, Ltd., Diamond Harbour Road, CALCUTTA 8.
(3) Matchwell Electricals (India), Ltd., P.O. Box No. 1430, Subzi Mandi, DELHI.

Local Indent No. 11164.

Subject :—Supply of Electric Table and Ceiling Fans.

Gentlemen,

No. S.P.C. 26486-88. Please refer to our order No. S.P.C. 20768-771, dated 11th September 1951, for the above and note that the period of the contract has been extended up to the end of October 1952. Kindly execute the supplies against departmental indents made during this period.

Please acknowledge receipt.

4824b

Dated 23rd September 1952.

To

The Firms dealing in Singapore Canes.

Enquiry No. 11226.

Subject :—Singapore Rattan for use in the Occupational Institute. Hassan.

Dear Sir/Gentlemen,

No. S.P.C. 25904-13. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the

order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for supply of Singapore Rattan for use in the Occupational Institute, Hassan "with the above enquiry number.

This enquiry will be closed on the 16th October 1952.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F.O.R.	Time of delivery
	Singapore Rattan—London quality double washed.	1½ tons	Hasan	...

N.B.—1. Quotations with firm prices will be preferred.
2. Sales-tax should be quoted separately.
3. No enhancement of price will be allowed after the acceptance of the tender.
4. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

4583a

Dated 24th September 1952.

To

The Firms dealing in Machinery.

Enquiry No. 11217.

Subject:—Machinery required for Hydraulic Research Station at Krishnaraj Sagar.

Gentlemen,

No. S.P.C. 25341-60. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Machinery required for Hydraulic Research Station" with the above enquiry number.

This enquiry will be closed on the 23rd October 1952.

SCHEDULE

Item No.	Description of the material offered	Price quoted F.O.R. Mysore.	Quantity
1.	Lathe—6—½" Centre × 6'—0" gap admitting 8'—0" between centre, with 23" swing in gap, belt drive, with standard equipment, comprising countershaft face plate, catch plate, inter plate, Fixed and travelling stadia, change wheels for screw cuttings, set of spanners, and with 12" 4—jaw independent check with back plate pump and fittings and tapes turning attachment. Suitable electric motor for the above with all accessories and for 3 phase 25/50 cycles, 220/440 volts, A.C. Supply.		1
2.	Bench Grinder (Electrically Driven)—8" size grinder with the grinding wheels of 8" size with electrical motor suitable for 3 phase 25/50 cycles and 220/440 volts, A.C. Supply.		1
3.	High Speed Electric Drilling Machine with Motor 18" size with a capacity of one inch with a suitable motor and pulley, etc., complete for 3 phase 25/50 cycles, and 220/440 volts A.C. Supply.		1
4.	Best German Make Hand operated pipe cutter (Three wheeled type)—capacity of pipe cutter up to 3" size.		1
5.	Band Saw Machine with motor—12" size for wood working including blades, base, bolt and motor pulling complete with suitable motor for 3 phase, 25/50 cycle, 220/440 volts A. C. Supply.		1
6.	Power Driven Circular Saw with Motor—With a suitable motor suited for 3 phase, 25/50 cycles, 220/440 volts A. C. Supply with necessary accessories.		1
7.	Shearing Machine—Arranged for power driven with a suitable motor for 3 phase, 25/50 cycles, 220/440 volts, A.C. Supply. Capacity of Shearing machine 48—½"×14 S.W.G.		1

N.B.—1. Quotations with firm prices will be preferred.
2. Sales-tax should be quoted separately.
3. No enhancement of price will be allowed after the acceptance of the tender.
4. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

4872

To 429 Dated 24th September 1952.

The firms dealing in Grouting the Foundations.

Enquiry No. 10945.

Equipment for Grouting the Foundations of Bhadra Reservoir Works.

Gentlemen,

No. S.P.C. 26829-45. Please note that the closing date of the above enquiry is hereby extended up to 20th October 1952.

4885

Dated 24th September 1952.

To

The Firms dealing in Scientific Articles.

Enquiry No. 11218.

Subject:—Testing Equipment for Cement and Cement Mortars.

Gentlemen,

No. S.P.C. 25321-40. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Testing Equipment for Cement and Cement Mortars," with the above enquiry number.

This enquiry will be closed on the 20th October 1952.

No.	Schedule	F.O.R. Krishnarajsagar	Quantity.
1.	Sieves, Standard wire-cloth for testing cement japanned tin, 9" diameter, conforming to British Standards Institution Specification. (with cover and receiver for the above.)		170, 72 mesh 25 and 18 mesh One each.
2.	(a) Gauging Trowel 9" blade ... ... (b) Trowel, Standard 8"		Two Two
3.	Glass plates for pats, 4"×4"		Six
4.	Tensile Strength Cement testing machine No. 4 for testing 1" briquettes reading from 0 to 1,200 lbs. furnished on ash top with legs, with ball and socket motion clips.		One
5.	Gun-metal mould, for 1" briquettes, held together with thumbscrews, and steel base plate standard.		Twelve
6.	Iron plates for the above		One Dozen
7.	Spatula for pressing cement into mould, standard ...		Two
8.	Iron mould for cubes 2"		Four
9.	Vicat needle, to British Standards specifications, with dashpet, for ascertaining the commencement of hardening and time of setting also the correct consisting of cement complete with initial and final set needles and mould.		Two
10.	Extra mould for the above with base plate ...		Six
11.	Consistency cylinder or plungar only, to latest British Standards Institution Specification for Vicat Needle.		Two
12.	Extra Initial set needle		Four
13.	Extra Final set needle		Four
14.	Specific Gravity bottle, Standard pattern adopted by the British Standards Institution.		One
15.	Graduated flask, for testing gravity of hydraulic cement as devised by Stanger and Blout, with description of Pamphlet.		One
16.	Le Chatelier Gauge, Brass or nickel for testing cement and plaster, standard pattern with two glass plates and one weight for use with the Le Chatelier mould for testing soundness of cement.		Six
17.	Oven, general purpose, for operation at temperatures up to 300 C, electrically heated, with thermostatic control, temperature deviation plus 1°C. as specification, suitable for operation on 220 volts, A.C., Single phase, with fitted thermometer. Internal working space ... 14"×12"×12" No. of shelf Rummers ... 3 Overall dimensions (28"×20"×21") ... 28"×20"×21" Weight ... 130 lbs. Load ... 1·5 kilowatts		Two

N.B.—1. Quotations with firm prices will be preferred.
2. Sales-tax should be quoted separately.
3. No enhancement of price will be allowed after the acceptance of the tender.
4. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

4870